

UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
R0998-106

Total Pages in this Submission

TO THE ASSISTANT COMMISSIONER FOR PATENTSBox Patent Application
Washington, D.C. 20231

Transmitted herewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new utility patent application for an invention entitled:

METHOD AND APPARATUS FOR PRIORITY TRANSMISSION AND DISPLAY OF KEY AREAS OF IMAGE DATA

and invented by:

Mark J. Beach

If a CONTINUATION APPLICATION, check appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Enclosed are:

Application Elements

1. ☒ Filing fee as calculated and transmitted as described below
2. ☒ Specification having 37 pages and including the following:
 - a. ☒ Descriptive Title of the Invention
 - b. ☐ Cross References to Related Applications (if applicable)
 - c. ☐ Statement Regarding Federally-sponsored Research/Development (if applicable)
 - d. ☐ Reference to Microfiche Appendix (if applicable)
 - e. ☒ Background of the Invention
 - f. ☒ Brief Summary of the Invention
 - g. ☒ Brief Description of the Drawings (if drawings filed)
 - h. ☒ Detailed Description
 - i. ☒ Claim(s) as Classified Below
 - j. ☒ Abstract of the Disclosure

UTILITY PATENT APPLICATION TRANSMITTAL
(Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
R0998-106

Total Pages in this Submission

Application Elements (Continued)

3. ☒ Drawing(s) *(when necessary as prescribed by 35 USC 113)*
- a. ☒ Formal Number of Sheets 6
- b. ☐ Informal Number of Sheets
4. ☒ Oath or Declaration
- a. ☒ Newly executed *(original or copy)* ☐ Unexecuted
- b. ☐ Copy from a prior application (37 CFR 1.63(d)) *(for continuation/divisional application only)*
- c. ☒ With Power of Attorney ☐ Without Power of Attorney
- d. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application,
see 37 C.F.R. 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation By Reference *(usable if Box 4b is checked)*
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied
under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby
incorporated by reference therein.
6. ☐ Computer Program in Microfiche *(Appendix)*
7. ☐ Nucleotide and/or Amino Acid Sequence Submission *(if applicable, all must be included)*
- a. ☐ Paper Copy
- b. ☐ Computer Readable Copy *(identical to computer copy)*
- c. ☐ Statement Verifying Identical Paper and Computer Readable Copy

Accompanying Application Parts

8. ☒ Assignment Papers *(cover sheet & document(s))*
9. ☐ 37 CFR 3.73(B) Statement *(when there is an assignee)*
10. ☐ English Translation Document *(if applicable)*
11. ☐ Information Disclosure Statement/PTO-1449 ☐ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Acknowledgment postcard
14. ☒ Certificate of Mailing
- ☐ First Class ☒ Express Mail *(Specify Label No.):* EL248081560US

UTILITY PATENT APPLICATION TRANSMITTAL
(Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
R0998-106

Total Pages in this Submission

Accompanying Application Parts (Continued)

15. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)

16. ☐ Additional Enclosures (please identify below):

Fee Calculation and Transmittal

CLAIMS AS FILED

For	#Filed	#Allowed	#Extra	Rate	Fee
Total Claims	40	- 20 =	20	x \$22.00	\$440.00
Indep. Claims	6	- 3 =	3	x \$82.00	\$246.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					\$0.00
BASIC FEE					\$790.00
OTHER FEE (specify purpose)					\$0.00
TOTAL FILING FEE					\$1,476.00

- ☐ A check in the amount of _____ to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. **IBM 09-0465** as described below. A duplicate copy of this sheet is enclosed.
- ☒ Charge the amount of **\$1,476.00** as filing fee.
- ☒ Credit any overpayment.
- ☒ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
- ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).


Signature

S. Jared Pitts
Reg No. 38,579

Dated: 28 Oct 1998

CC:

CERTIFICATE OF MAILING BY "EXPRESS MAIL" (37 CFR 1.10)

Applicants: Mark J. Beach

Docket No.: RO998-106

Serial No.:

Filing Date:

Examiner:

Group Art Unit:

Title: **METHOD AND APPARATUS FOR PRIORITY TRANSMISSION AND
DISPLAY OF KEY AREAS OF IMAGE DATA**

I hereby certify that the following:

1. Transmittal form;
2. Assignment and Assignment Cover Sheet;
3. Declaration and Power of Attorney;
4. Postcards; and
5. Specification with 6 sheets of drawings.

are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 in an envelope addressed to: Assistant Commissioner for Patents, Box Patent Application, Washington D.C. 20231-0001 on October 28, 1998.

Ellen Seger

(Type or Printed Name of Person Mailing Correspondence)

Ellen Seger

(Signature of Person Mailing Correspondence)

EL247971560US

("Express Mail" Mailing Label Number)

**APPLICATION
FOR
UNITED STATES LETTERS PATENT**

APPLICANT NAME: Mark J. Beach

TITLE: METHOD AND APPARATUS FOR PRIORITY TRANSMISSION AND
DISPLAY OF KEY AREAS OF IMAGE DATA

DOCKET No.: RO998-106

INTERNATIONAL BUSINESS MACHINES CORPORATION

CERTIFICATE OF MAILING UNDER 37 CFR 1.10

I hereby certify that, on the date shown below, this correspondence
is being deposited with the United States Postal Service in an
envelope addressed to the Assistant Commissioner for Patents,
Washington, D.C., 20231 as "Express Mail Post Office to Addressee"
Mailing Label No. EL248081560US

on October 28, 1998

Ellen Seger
Name of person mailing paper

Ellen Seger 10-28-98
Signature

Date

METHOD AND APPARATUS FOR PRIORITY TRANSMISSION AND DISPLAY OF KEY AREAS OF IMAGE DATA

BACKGROUND OF THE INVENTION

1. Field of the Invention

5 This invention relates generally to computer graphics. More specifically, this invention relates to sending and receiving computer graphics.

2. Background Art

10 The development of the EDVAC computer system of 1948 is often cited as the beginning of the computer era. Since that time, computer systems have evolved into extremely sophisticated devices, and computer systems may be found in many different settings. Computer systems typically include operating system software that controls the basic function of the computer, and one or more software applications that run under the control of the operating system to perform desired tasks. For example, a typical IBM Personal Computer may run the OS/2 operating system, and under the control of the OS/2
15 operating system, a user may execute an application program, such as a word processor. As the capabilities of computer systems have increased, the software applications designed for high performance computer systems have become extremely powerful.

20 Other changes in technology have also profoundly affected how we use computers. For example, the widespread proliferation of computers prompted the development of computer networks that allow computers to communicate with each other. With the introduction of the personal computer (PC), computing became accessible to large numbers of people. Networks for personal computers were developed to allow individual users to communicate with each other. In this manner, a large number of people within a company could communicate with other computer users in a
25 convenient and efficient manner.

One significant computer network that has recently become very popular is the internet. The internet grew out of the modern proliferation of computers and networks, and has evolved into a sophisticated worldwide network of computer systems linked together by web pages that collectively make up the "World-Wide Web", or WWW. A user at an individual PC (*i.e.*, workstation) that wishes to access the WWW typically does so using a software application known as a web browser. A web browser makes a connection via the WWW to other computers known as web servers, and receives information from a web server that is displayed on the user's workstation. Information displayed for the user is typically organized into pages that are constructed using a specialized language called Hypertext Markup Language (HTML). The user can navigate to any page by inputting the address or Uniform Resource Locator (URL) into the web browser. URLs are simply formatted text strings which identify the location of a WWW resource.

The explosion of the internet and of networks in general has brought internet technology to even very small companies. Many companies today have "intranets" that act like the internet. Computer users in these companies can view pages, get data, and navigate around the intranet just as if the intranet was actually the internet. Some companies allow both intranet and internet access by employees, which makes the intranet almost "transparent" to the general user. He or she may have no idea that there are two separate networks. Intranets and the internet are important to many companies because employees can transfer files, communicate with other employees, apply for new positions, and even hold meetings over these networks.

As these networks have grown and increased in popularity, the types of data sent over the networks have changed dramatically. Originally, simple text (alphabetic letters) documents were the only data sent; now, transmission of graphics (*e.g.*, pictures, photographs, diagrams), sound, and video are commonplace. These types of files tend to be very large. Because of this, people using the network may have to wait quite a long time before the various graphics that are on an intranet or internet page actually get

rendered on the user's screen. This is particularly true if the server sending the information is slow or the connection to the network is slow. Even fast servers and fast connections will periodically slow to a crawl if large graphics files are being transferred.

From the user's perspective, this wait for graphics to load is at best annoying and at worst maddening. The user generally wants to get his or her information and go somewhere else. Advertisers also find this delay annoying because the consumer—the computer user who is looking at a page containing the advertisement—will generally not wait for the advertisement to completely load before going to a new page or scrolling down the current page such that the advertisement cannot be seen. Text generally loads first on most systems because it can be transferred so quickly. Thus, the consumer can get his or her information and go somewhere else well before the graphical advertisement is displayed.

As the number of network users continue to increase and the use of graphics rapidly expands, it will become increasingly important for graphics to load faster. This would allow the user or consumer to not waste time waiting for graphics to load, and it allows advertisers to ensure that their advertisement is actually being viewed by consumers. Without improvements in the way graphics load, users and consumers will be constantly perturbed by slow loading graphics.

SUMMARY OF THE INVENTION

An apparatus and method for prioritizing the transmission and display of key areas of image data is disclosed. Using a preferred embodiment, a person who wants certain parts of an image to be sent before other parts of the image would select these more important areas and assign priorities to the selected parts of the image. In addition, a default priority could be assigned to areas of the image not selected or not assigned a priority. The image is then saved in a file format such that the highest priority images are placed towards the beginning of the file.

When the image is sent to a user, the prioritized image will be sent in terms of this

priority. The highest priority portions will be sent first and the lowest priority portions will be sent last. The user will, then, normally receive the highest priority portions first. Thus, the highest priority portions will be displayed and viewed first by the user.

5 The foregoing and other features and advantages of the present invention will be apparent from the following more particular description of the preferred embodiment of the invention, as illustrated in the accompanying drawings.

BRIEF DESCRIPTION OF DRAWINGS

10 The preferred exemplary embodiments of the present invention will hereinafter be described in conjunction with the appended drawings, where like designations denote like elements, and:

FIG. 1 is a block diagram of a receiving computer system interoperating with a transmitting computer system in accordance with a preferred embodiment of the present invention;

15 FIG. 2 is a series of four views of one graphic that has been marked, transmitted, and received in accordance with a preferred embodiment of the present invention;

FIG. 3 is a diagram of a method used to mark portions of an image and to assign priorities to these marked portions in accordance with a preferred embodiment of the present invention;

20 FIG. 4 is a method used when receiving images in accordance with a preferred embodiment of the present invention;

FIG. 5 is a diagram of a prioritized graphics file stored in a file format in accordance with a preferred embodiment of the present invention; and

FIG. 6 is a method for storing a prioritized graphics file in accordance with a preferred embodiment of the present invention.

BEST MODE FOR CARRYING OUT INVENTION

1. Overview

The method and apparatus of the present invention have particular applicability to graphics file formats, many of which use data compression. For those individuals who are not familiar with these concepts, a brief overview of relevant graphics file formats and data compression concepts is presented here.

Compression

Compression can be used to reduce the size of computer files containing a large number of ones and zeros because series of ones and zeros tend to repeat. In addition, some of the information represented by the ones and zeros can have minor discrepancies (slight changes in the series of ones and zeros) without adversely affecting the information. Compression is least useful when there are few, if any, repeating patterns of ones and zeros, and when the slightest error in the information cannot be tolerated. For instance, a bank's customer and checking account database will likely not tolerate errors and will generally not have too many repeating series of numbers or letters.

Compression is particularly useful for graphics and image files, however, because these files are generally very large and much of the information in the files is redundant. Graphics files get so large because each file is made up of "pixels," the smallest individual representation of an image, and each pixel can need a lot of data to adequately describe it. For instance, if a black and white picture is digitally stored with 256 shades of grey, each pixel will then be eight bits (each bit being a one or zero). Each eight bits will indicate which shade of grey, of the 256 shades of grey, each pixel represents. Storing images in color generally adds many more bits per pixel because each color (red, green, and blue) will be represented by a number of bits.

Many of these pixels are redundant. For example, if a picture of the sky is being stored as a file, there will be large regions of the sky that will be blue (the sky) or white

(the clouds). Instead of storing each pixel, it is possible to compress the image by storing a starting pixel and then only those pixels that change color. For instance, if the pixel in the upper left-hand corner of the image is blue, 100 pixels to the right of this starting pixel are also blue, and 100 pixels to the right of the last blue pixel are white, only some of this information need be stored. The starting pixel's digital color and location followed by the number 101 and the white pixel's digital color followed by the number 100 is all that is needed to store this segment of the file. This is in contrast to storing all 201 pixels and each pixel's color. In this way, the entire image can be stored in the file, but the amount of information used to store the picture will be substantially less than the normal, non-compressed image's file.

Data compression can be split into two large classes, lossless and lossy. Lossless compression means that the picture, and each digital number that represents a particular color for each pixel, will be compressed and decompressed such that the original and decompressed images will be the same. A picture that has been compressed and decompressed using lossless compression will be mathematically and pictorially equivalent to the original picture. Compression and decompression of an image by using lossy compression methods, on the other hand, will result in a picture in which some information has changed. The compressed and decompressed image will not be the mathematical and pictorial equivalent of the original picture. However, many times this difference between the original and the uncompressed image is not noticeable to the human eye. The human eye tends to blur pixels together, such that an error in one pixel may not even be visible. In addition, the human brain tends to insert the correct information into an image even when an error is found. Because of these anomalies, an image that has errors, even significant errors, will tend to be correctly reconstructed in a viewer's mind.

One of the simplest lossless compression schemes is Run Length Encoding (RLE). RLE is effective when there are series of ones and zeros that tend to repeat. RLE basically comprises counting the number of ones or zeros and then putting this number

and the datum being stored into the file. For instance, if there are one hundred ones, then RLE would store "100 ones" instead of storing all one hundred ones.

A more advanced lossless encoding scheme is called Huffman encoding. In Huffman encoding, the specific data element in an image or file that repeats the most is represented by the smallest number of bits. The second most common data element is represented by a slightly larger number of bits, and so on until the least common data element is represented by a long string of bits. For instance, in the English language, the letter "e" is the most common letter in text, while the letter "z" is the least common letter in text. As an example, in the previous sentence there are 21 e's and only one z.

Huffman encoding would assign a single bit (a one or zero) to the letter e and a long string of ones and zeros to the letter z. But because the letter z is hardly ever used and the letter e is frequently used, a digital, compressed representation of text should be much smaller than a digital, uncompressed representation of the same text.

For images, a function known as the Discrete Cosine Transform (DCT) can be applied to a two-dimensional block of data to achieve significant compression. The DCT will generally be lossy because the numbers calculated using the DCT will usually be truncated. The DCT basically analyzes a two-dimensional block of image data and results in one average (called the DC level) and several coefficients for each block. The average is the average of the input two-dimensional block of data and the coefficients are magnitudes of the frequency content at specific frequencies from zero. An easier way to think about the DCT is that the DC level gives the average color in the block and the frequency coefficients represent differences between other colors in the block and the DC level. If there are no differences between the average color and the rest of the pixels in the block (for instance, if the block is a portion of blue sky), then the frequency components will all be zero. In general, with small block sizes the frequency components will tend to be zero or close to zero in many images because the color deviation in these small blocks is not that great. The inverse DCT, then, takes the information from the DCT and uses it to recreate the image.

Finally, another compression method used mainly for images is the Lempel-Ziv-Welch (LZW) compression scheme. This method is similar to RLE in that it uses repeated strings to compress a file. Basically, this method initially places phrases (also called character strings), which are snippets of an image, into a compressed file. Any subsequent, equivalent phrase is not put into the compressed file; instead, the location (called a code) of the same, previous phrase is placed into the file. For instance, if the partial sentence "The men and the women" is compressed by using the LZW algorithm, the first "the" will be placed into the compressed file and the second "the" will not. In place of the second "the" will be a pointer that points to the first "the." Thus, there are generally bits added to the data that indicate whether the data is real data (as in "the") or pointers to real data.

Implementations of the LZW algorithm generally put the phrases into a code table. As the file is being compressed, the table is built as the phrases are constructed. For instance, in the phrase used above the first entry in the table would be "The", the second entry in the table would be "men", the third entry in the table would be "and", and the fourth entry in the table would be "women." Similarly, the decoder would build the same table as the file is being received.

Graphics File Formats

There are many graphics file formats. The simplest file formats generally contain information about the size of the picture in pixels (e.g., 640 pixels by 480 pixels) and then contain each pixel's digital information. Images will usually be in black and white, grey-scale, or color. Thus, information about the type of file (color, black and white) will also be contained in the graphics file. If the image is color, the color is sometimes stored as a series of "planes," each plane containing one or more colors (red, green, or blue) or brightness information. This somewhat simplistic method of storing images goes by the general name of "bitmap," because there is usually a "mapping" of pixels from the image to the file. Because pixels can be represented by bits, these files developed the bitmap nomenclature. Each pixel has an equivalent bit pattern in the bitmap file, and all of the

pixels of the image are generally stored in order from some starting point to some ending point. The term bitmap has become somewhat of a misnomer over the years since the first bitmap files were generated because compression schemes have been added that destroy the one-to-one mapping between pixels and files.

5 More complex file formats tend to allow compression schemes and other, more complex mapping schemes. One such file format of interest for images is Graphics Interchange Format (GIF). GIF allows interlacing, which is a process whereby graphics files are divided into groups of lines and each group is loaded on the user's computer in order. This has the effect of allowing the user to see some of the information in the
10 graphics file while other parts of the file is loading. To the user, this appears as a fuzzy, nondescript image that slowly develops into one clear image. In GIF, one formatting method for interlaced files is to divide the image into four groups, each group containing many lines: Group One has every eighth row, starting with row zero; Group Two has : every eighth row, starting with row four; Group Three has every fourth row, starting with
15 row two; and Group Four has every second row, starting with row one. The user will see the zero row followed by every eighth row, the fourth row followed by rows 12, 20, 28, etc. In this manner, GIF allows some information to be seen while the user waits for other information from the image to reach his computer.

20 The GIF format can use LZW compression. There are a variety of methods to implement LZW compression in GIF, including allowing the code table to increase automatically. Thus, as an image is received, the code table is allowed to grow with the increase in received image size.

25 Another more complex and also very important file format for graphics is the Joint Photographic Experts Group (JPEG) format. This format works on a two-dimensional block basis and combines the DCT, Huffman encoding, and RLE to allow excellent compression. JPEG generally starts at one block (usually the upper left corner) of the file and compresses the file in blocks from the left-most block to the right-most block for each section of graphics file. From the user's perspective, entire sections of the

file seem to appear at once, starting with the topmost section and ending with the bottom most section. JPEG can be made to be lossless, but the best compression occurs with lossy compression.

2. Detailed Description

5 The current invention allows certain parts of an image to be sent before other parts of the image. An image designer (the person deciding which parts of the image are more important) can select these more important areas, then assign priorities to these selected areas. In addition, a default priority may be assigned to the areas of the image that are not assigned priorities. The image is saved in a file such that the highest priority portions will
10 be transmitted before the lower priority portions. Generally, the highest priority portions will be placed towards the beginning of the files and the lower priority portions towards the end of the file.

 When the image is sent to a user, the prioritized image will be sent in terms of this priority. The highest priority portions will be sent first and the lowest priority portions
15 will be sent last. The user will, then, normally receive the highest priority portions first. Thus, the highest priority portions will be displayed and viewed first by the user.

 Referring now to FIG. 1, a computer system 100 in accordance with a preferred embodiment of the present invention includes the following: a processor 110; a terminal interface 150; a network interface 165; an auxiliary storage interface 140; a Direct Access
20 Storage Device (DASD) 170; a floppy disk 180; a bus 160; and a main memory 120. In this example, main memory 120 includes an operating system 122, a web browser 124 containing an image 127, a graphics viewer 125, and an image interpreter 126. It should be understood that bus 160 is used to load these items into main memory 120 for execution. Computer system 100 in this example represents a computer that is capable of
25 receiving a prioritized image and displaying the prioritized image in its prioritized order.

 Also shown in FIG. 1 is server 190, which is connected to system 100 through network interfaces 182 and 160. Only the most salient parts of server 190 have been

shown in FIG. 1. These parts are main memory 192, operating system 194, server program 196, image prioritization editor 198 containing an image 197, image interpreter 184, and simulation browser 186 containing another image 187. Server 190 in this example contains both server capability, for sending files, and prioritization editing capability, for allowing someone to select portions of an image file, assign priorities to these portions, and save the file in an image format that supports prioritized images.

Processor 110 performs computation and control functions of system 100. The Processor 110 associated with system 100 may comprise a single integrated circuit, such as a microprocessor, or may comprise any suitable number of integrated circuit devices and/or circuit boards working in cooperation to accomplish the functions of a central processing unit. Processor 110 is capable of suitably executing the programs contained within main memory 120 and acting in response to those programs or other activities that may occur in system 100.

Main memory 120 is any type of memory known to those skilled in the art. This would include Dynamic Random Access Memory (DRAM), Static RAM (SRAM), flash memory, cache memory, etc. While not explicitly shown in FIG. 1, main memory 120 may be a single type of memory component or may be composed of many different types of memory components. In addition, main memory 120 and processor 110 may be distributed across several different computers that collectively comprise system 100. Computer system 100 of FIG. 1 simply illustrates many of the salient features of the invention, without limitation regarding the physical location of Processor 110 or memory locations within main memory 120.

Bus 160 serves to transmit programs, data, status and other forms of information or signals between the various components of system 100. The preferred embodiment for bus 160 is any suitable physical or logical means of connecting computer systems and components known to those skilled in the art. This includes, but is not limited to, direct hard-wired connections, internet connections, intranet connections, fiber optics, infrared (IR) and other forms of wireless connections. It is anticipated that many alternative

methods and material for connecting computer systems and components will be readily adapted for use with the present invention. This would include those methods and materials not presently known but developed in the future.

Terminal interface 150 allows human users to communicate with system 100.

5 Auxiliary storage interface 140 represents any method of interfacing a storage apparatus to a computer system known to those skilled in the art. Auxiliary storage interface 160 allows auxiliary storage devices such as DASD 170 to be attached to and communicate with the other components of system 100. While only one auxiliary storage interface 160 is shown, the present invention anticipates multiple interfaces and multiple auxiliary
10 storage devices such as DASD 170. As shown in FIG. 1, DASD 170 may be a floppy disk drive which is capable of reading and writing programs or data on disk 180. DASD 170 may also be any other type of DASD known to those skilled in the art. This would include floppy disk drives, CD-ROM drives, hard disk drives, optical drives, etc. Disk 180 represents the corresponding storage medium used with DASD 170. As such, disk
15 180 can comprise a typical 3.5 inch magnetic media disk, an optical disk, a magnetic tape or any other type of storage medium.

It is important to note that while the present invention has been (and will continue to be) described in the context of a fully functional computer system, those skilled in the art will appreciate that the mechanisms of the present invention are capable of being
20 distributed as a program product in a variety of forms, and that the present invention applies equally regardless of the particular type of signal bearing media used to actually carry out the distribution. Examples of signal bearing media include: recordable type media such as floppy disks (*e.g.*, disk 180), hard disks and optical disks (*e.g.*, compact disks), and transmission type media such as digital and analog communication links,
25 including wireless communication links.

Browser 124 displays images and text. An image is currently being displayed as image 127. Images are displayed with the help of graphics viewer 125 and image interpreter 126. Graphics viewer 125 displays images within browser 124, and image

interpreter 126 takes received information from browser 124 or graphics viewer 125 and turns the information, which is basically a number of ones and zeros, into an image. In this depiction, graphics viewer 125 is a “plug-in” or “helper” that browser 124 uses to display images. For each type of image (*e.g.*, Global Interchange Format (GIF), Joint Photographic Experts Group (JPEG), or bitmap), there will generally be one image interpreter 126. There can be more than one image interpreter 126 for each graphics viewer 125, or there could be one image interpreter 126 for each graphics viewer 125. The functionality of both graphics viewer 125 and image interpreter 126 can both be placed into graphics viewer 125. In addition, the functionality of graphics viewer 125 can be included in browser 124, and browser 124 may also be included in operating system 122. Furthermore, graphics viewer 125 could be used solely to view images. In this case, web browser 124 would then not be needed. These devices are split here to aid in understanding the invention.

Image interpreter 126 translates received data into image data. This image data can then be displayed by image interpreter 126, graphics viewer 125, or web browser 124, depending on the configuration of system 100. Generally, image interpreter 126 will translate received data into image data and then “hand” this image data to graphics viewer 125, which then displays this information on browser 124. Image interpreter 126 will usually be receiving the highest priority portions of a file first; as such, image interpreter 126 will inform graphics viewer 125 and/or browser 124 of where to place the current portion of image data. As stated previously, graphics viewer 125 and browser 124 can be combined into one browser or image viewer. This is a helpful interpretation at times because a receiving system using this configuration would use interpreter 126 to translate received data into image data that is displayed by an image viewer.

Turning now to server 190, server 190 is another computer system similar or exactly equivalent to system 100. Server 190 serves two general purposes: it transmits data (including image files) and it contains programs that allow an image designer to select portions of an image file, prioritize those portions, and save the prioritized image

file in a graphics file format that supports prioritization. Server 190 contains an operating system 194 that may be different from or the same as operating system 122. Server 190 also has a server program 196. Server program 196 allows access by other users to files on server 190. Typically, these files will be of the type generally used in association with web browser 124 (*e.g.*, sound, graphics, video, Hypertext Markup Language (HTML), text, *etc.*). The functionality of server program 196 may be placed into operating system 194. Server program 196 is generally not necessary for the proper operation of embodiments of the current invention. The embodiments of the current invention will operate with any method that allows an image to be transmitted and received in accordance with embodiments of the current invention.

Image prioritization editor 198 allows an image designer to select portions of image 197. An example of the selection of different areas of an image is shown in FIG. 2 below. The image designer can then assign priorities to each selected portion. Generally, there will be several different priorities. Image prioritization editor 198 also allows a prioritized image file (an image file where portions have been selected and assigned priorities) in a variety of image file formats. To save an image file as a prioritized image file, image prioritization editor 198 generally uses a separate “plug in” or program that supports one or more file formats, such as image interpreter 184. When server program 196 sends the image to system 100, those portions of the image assigned the highest priority will be sent first. This allows the graphical image 127 that is loading in web browser 124 on system 100 to display the most important information of the graphic first. Generally, server program 196 will not specifically target portions of the file containing the prioritized images to try and send these targeted portions first. Instead, in the preferred embodiment, the image itself, in whatever file format it is in, will be stored as it will be sent. Thus, server program 196 will generally be oblivious to the change in the file format, and server program 196 merely sends the file as it would send any other file.

Image interpreter 184 translates the prioritized sections of image 197 into the file format (or file data) that the image designer has selected. The file format is generally

selected by using menus associated with image prioritization editor 198. The file format, when sent to the user who is accessing the file, will then become the received data received by system 100, translated by image interpreter 126 back into data, and displayed on web browser 124. The functionality of image interpreter 184 may be incorporated into
5 image prioritization editor 198. The various file formats (bitmap, GIF, JPEG, *etc.*) will preferably be modified or extended to include reordering of image information so that prioritization of portions of the image can occur. Generally, other than the new prioritization scheme, the file formats and the image designer's viewing of these formats will remain the same. For instance, if an interlaced GIF is being loaded on web browser
10 124, the highest priority portion of image 127 will be shown in interlaced format until it loads completely. Then the next highest priority portion will begin loading in its interlaced format. This will continue until all portions of the image have been loaded. In a preferred embodiment, this will cause the portion of the image with the highest priority to completely load before any other portion of the image. As another example, for images
15 in the JPEG format, the blocks of data that will make up the portion of the image having the highest priority should sent, received, and loaded first.

When an image designer is using server 190 to design a prioritized image, some testing of the prioritization will usually be performed. Selecting and assigning priorities to portions of an image will usually be an iterative process: the image designer selects
20 one or portions of an image, assigns these portions a priority, saves the image in a prioritized image file, and then simulates receiving the image to ensure that the prioritization is as the image designer imagined and wants it to be. In this regard, simulation browser 187, shown in the example of FIG. 1 as displaying an image 187, is used to test the prioritization scheme performed on image 197. A general-purpose
25 browser could also perform this function; however, because the image will load so quickly if the image is on the server, a time delay is usually required to simulate reception of a prioritized image. Simulation browser 186 can add a time delay between prioritized portions of an image to more adequately indicate how the prioritized file will really be seen by a user.

Thus, image 187 will generally show the progression of portions of images that make up image 197. The portions of image 187 will be shown in the order chosen by the image designer in image prioritization editor 198. There will be a delay between portions of image 197 being displayed as image 187 so that the image designer can see the various portions as they load. If necessary, simulation browser 186 could have all functionality of web browser 124, or it could be solely an image viewer. In this example, image interpreter 184 works with both image prioritization editor 198 and simulation browser 186, but both could have independent image interpreters or simulation browser 186, image interpreter 184, and image prioritization editor 198 could be encompassed in one image prioritization editor 198.

Image interpreters 126 and 184 will usually perform different functions. Image interpreter 126 is used to receive files (and thus should not need compression capabilities, for instance), while image interpreter 184 is used to compress, decompress, and store prioritized images. The general steps incurred in saving and subsequently receiving a file will be that image interpreter 184 translated an image and stored the image in a file (in a particular file format wherein the data may be compressed or interlaced). Server program 196 transmits the file and system 100 receives portions of the file as they arrive. As the portions arrive as received data, image interpreter translates the received data back into image data. This translation could include decompression. The translation will generally include determining where the image data is to be placed. Then image interpreter will give the image portion and location to the program that displays the image portion. Even though the functionality of image interpreter 126 and 184 may be different, they may also perform the exact same functions if this is desired.

The invention is most easily understood with reference to an example depicting the selection and prioritization of areas of an image and the subsequent reception of the image by a user. FIG. 2 shows four images of an imaginary advertisement. Advertisement 1000 depicts a prioritized image, while advertisements 1050, 1060, and 1070 depict the progression of the image on a user's computer. Advertisement 1000 has

been marked with several areas of higher priority in this example. Advertisement 1000 has been marked with highest priority area 1010 and medium priority area 1020. In this example, low priority area 1020 is given the lowest priority automatically, even though the person marking the image (called the image designer) has not marked this section with a priority. Because the image has been prioritized, the highest priority parts of the image will be sent to a user first, anytime there is an access by the user of this advertisement. Such an access could be made when the user directs a browser to a particular World Wide Web (WWW) address that contains this advertisement. Border 1040 is placed around the advertisements in FIG. 2 solely to demarcate the advertisements' boundaries.

Advertisements 1050, 1060, and 1070 depict the progression of the display of the image on the user's browser. Because high priority area 1010 is sent by the sending computer first, the receiving computer (the user's computer) will display this section of the image first. This is shown in advertisement 1050, where highest priority area 1010 is displayed in its proper location. Similarly, the next highest priority area is sent by the sending computer and received by the user's computer. This is depicted in advertisement 1060. Finally, the entire image is displayed on the user's computer in advertisement 1070. If the user is connected to the sending computer through a very fast connection, the progression from advertisement 1050 to advertisement 1070 will occur very rapidly. Under normal modem connections, this progression will be very discernable. Thus, the present invention allows image designers to determine which parts of their image gets shown to a user first.

Referring now to FIG. 3, a method 200 for prioritizing and saving a file is shown. This method is used by a designer to select portions of an image file, assign selected portions priorities, save the image file as a prioritized image file (in some image file format such as bitmap), test the reception of the prioritized file, and make changes if needed. Method 200 begins when a image designer selects a file format. This occurs in step 205. Although step 205 could be moved to another location in method 200 (for

instance, step 205 could be moved until after step 250 but before step 260), the file format in which an image is saved may cause slight changes in the actual stored and received image. Because of this, it is preferred that the file format be selected first. Note that this file format may be different than the file format in which the file was originally stored.

5 For instance, an image designer may choose to store a file in bitmap format without compression and then mark and modify this file. The marked and modified file could then be stored in a different format with a different name. This allows the designer to retain an unchanged, uncompressed version of the file while still marking, compressing, and saving a different version. This is especially helpful because compression can at
10 times have deleterious effects on certain images.

The image designer next marks or selects a location on an image. Generally, this would be done when the image designer is running image prioritization editor 198 and the image designer selects portions of image 197. Once a portion of image 197 has been selected, the designer assigns priorities to each selected portion. This occurs in step 220.

15 If all locations have not been selected (step 230 = NO), the designer will continue to mark another portion (step 210) and assign the marked portion a priority (step 220). If desired, the image designer could mark all portions first then assign each portion a priority. In addition, there could be a default priority given to all portions of the image, such that any portions not given a priority will be automatically assigned a priority.

20 Once all marked portions have been assigned priorities (step 230 = YES), the designer will generally test the image by receiving the image in the way the image would actually be received (step 240). This will generally entail using image prioritization editor 198 to send the image to simulation browser 187, preferably using a delay to simulate actual reception through a network. Then, the designer may make changes, if
25 desired, in step 250 (step 250 = YES). New or different portions may need to be marked (step 210) or the same portions may need to be reassigned priorities (step 220).

Once there are no longer any changes (step 250 = NO), the image designer will generally save the file. The file is saved (step 260) in the file format selected by the

image designer in step 205. A method for saving the file in the particular format chosen will be described in reference to FIG. 5.

Referring now to FIG. 4, a method 400 for receiving an image in accordance with a preferred embodiment of the present invention is shown. Method 400 determines if a received image file (or a portion of an image file) is prioritized and, if the file is prioritized, displays the prioritized portions of the image. After an image has been prioritized and the prioritized image has been saved in a prioritized format, server 190 will transmit the file when a user requests the file. Generally, the user will be using computer system 100 and be accessing server 190 through network interface 165.

Method 400 would be performed on the user's computer as web browser 124 begins receiving an image file. Method 400, thus, begins when an image starts to be received and a determination is made concerning the image's prioritization (step 410). If the image has not been prioritized (step 420 = NO), the image is processed normally (step 425). If, however, the image is prioritized (step 420 = YES), the image starts to be processed as a prioritized image.

First, the size of the image is determined and an image space is created (step 430). Generally a web browser or graphics viewer will clear a space on its presentation space for the image. Note that step 430 could just as easily be the first step in the process because all images will need to be displayed at some time. Once a space is cleared, image interpreter 126 will see if a prioritized portion (or part of a prioritized portion) has been received (step 440). Image interpreter 126 works with graphics viewer 125 and/or web browser 124 to show images on graphics viewer 125 and/or web browser 124. If not enough of a prioritized portion has been received (step 440 = NO) to create some amount of the portion of the image, image interpreter 126 will wait. This occurs in step 445.

It is important to note that the type of file format being received will affect the steps in method 400. For instance, for Joint Photographic Experts Group (JPEG) files, a certain number of blocks of data must be received before a portion of the image file can be decompressed. For interlaced GIF files, a line of interlacing is generally received

before being placed onto web browser's or picture viewer's presentation space (and, thus, being visible to a user).

On the other hand, if enough information has been received that image interpreter 126 can show the snippet or all of the portion being received (step 440 = YES), then
5 image interpreter 126 will show this snippet or all of the portion that has been received. If the portion or snippet of the portion of the image needs to be decompressed (step 450 = YES), the portion or snippet of the image is decompressed. This decompression occurs in step 460. If decompression is not needed or if decompression is complete, image
10 interpreter 126 will then determine the portion's or the part of the portion's location in the image space (step 470). Image interpreter 126 will place this data in the appropriate two- or three-dimensional location (step 480). Image interpreter 126 will then check to see if all portions have been received. If all portions of the image have not been received (step 490 = NO), then image interpreter 126 will begin to gather more image portions in steps 440 and 445. If all portions of the image have been received (step 490 = YES), then
15 image interpreter 126 will end until called again.

As previously stated, image interpreter 126 can be a "helper" application, which is called by a web browser or image viewer to display a particular type of image file. Image interpreter 126 could also be made to display a multitude of different file formats or the functionality of image interpreter 126 could be added directly into a web browser or
20 image viewer. Generally, image interpreter 126 will be a helper that will "hand" image portions to the web browser or image viewer such that the web browser or image viewer will know where to put the image portions. Image interpreter 126 will usually contain any necessary algorithms and methods that are needed for decoding compression routines. For instance, the Lempel-Ziv-Welch (LZW) compression and decompression algorithm
25 could be used in GIF files. All needed routines and software necessary to support the compression and/or decompression of LZW data should be placed in image interpreter 126 so that image interpreter 126 can compress/decompress GIF files that use the LZW compression. Similarly, any other compression/decompression scheme (*e.g.*, JPEG, Run-

Length Encoding, Huffman encoding, *etc.*) that is necessary for viewing or saving files in any other image format could be built into image interpreter 126.

Marking, sending, and receiving prioritized images have been described. Saving the file in a particular image format will now be described. The simplest method for saving a file in a particular file format (*e.g.*, JPEG, GIF) is to break the prioritized image into the smaller, prioritized portions and then apply the image format (complete with compression, if desired) to those portions. Each portion could be placed into the file with header information that describes where the prioritized portion is to be placed. If necessary, additional information describing the size of the portion may also be placed in the file. Finally, any information necessary for the particular file format may be placed in headers, footers, or around prioritized portions.

As an example, referring back to FIG. 2, highest priority area 1010 is a portion of advertising image 1000. This portion starts at a particular location, which, for this example, is the upper right corner of highest priority area 1010. This location, relative to the upper right corner of advertising image 1000, could be placed before highest priority image 1010 in the file. Then the compression (*e.g.*, LZW compression) or viewing scheme (*e.g.*, interlaced GIF) can be applied to highest priority area 1010 and the resulting information can be stored in the file. Similarly, the next-highest priority area (medium priority area 1020) can be placed into the file by storing its location and then its image data, after compression or interlacing if needed. This process could continue until all prioritized portions of image 1000 have been placed into a graphics file.

An example graphics file, which contains a prioritized image, is shown in FIG. 5. Prioritized file 500 begins with a header 510. Header 510 contains data used to indicate the type of file format, compression being used, size of file, *etc.* Each file format will generally require a different header 520. After header 510 is the location 520 of the highest priority image. As explained above in reference to FIG. 2, this location will usually be a relative location from a particular starting point in a graphics file. However, it could be any other location able to place the image portion on a screen. Next, the

highest priority image portion, after compression or interlacing, is placed in location 530. The second-highest priority image portion is then placed in locations 540 and 550 by placing the location 540 and data 550 into the file. This continues until the lowest priority portion of the image is placed into the file in locations 560 and 570.

5 This example graphics file can be modified as necessary to include other data or information. This information could be interspersed between locations in FIG. 5, or it could be added to the locations described in FIG. 5. Different file formats will require different headers, footers, data locations, etc., and the file format shown in prioritized file 500 can be modified as necessary to support and store an image that has been partitioned
10 into prioritized portions.

 Referring now to FIG. 6, a method 600 is shown for converting a marked, prioritized file into a graphics file format. When a file is saved in a particular file format, exemplary method 600 may be used to store the file in a prioritized manner similar to that shown in FIG. 5. Essentially, method 600 can occur as step 260 of method 200, but
15 method 600 may be used any time a prioritized image files would be saved. Method 600 starts when header information is placed into the file. This step will generally be performed because most file formats require some type of header. This step can also include placing location information (such as location information 510) or other needed information about the portion into the file. Next, the highest priority portion of the image
20 is read. This could occur by reading the image from disk or memory. If this portion will be compressed (step 630 = YES), then image interpreter 126 (or image interpreter 184) will determine if the image portion is exactly compressible in the image format chosen. Some image formats, in particular JPEG, only can compress certain sizes or blocks of image data. If the image size is not exactly compressible (step 640 = NO), then the
25 prioritized portion is slightly enlarged or shrunk so that it is exactly compressible. For instance, if JPEG compression is being used and JPEG requires 10 by 10 blocks, but the image designer has marked a 10 by 8 block, then this block will be increased to 10 by 10.

 Once the portion has been enlarged or shrunk, or if it was exactly compressible

(step 640 = YES), then the portion is compressed in step 650. This compressed portion is placed into the file in step 660. Step 660 may also be reached if the image portion will not be compressed (step 630 = NO). Next, image interpreter 126 or 184 checks to see if all file portions have been placed into the file (step 670). If all file portions have not been placed into the file (step 670 = NO), then header information for the next highest priority portion of the image is placed into the file. If all information is placed into the file (step 670 = YES), then the image interpreter quits.

Method 600 can be adapted to support a wide variety of graphics file formats. In particular, method 600 can be adapted to support interlacing or interleaving. To support interlacing, a step 623 can be added to test if interlacing is required. If interlacing is not required, then steps 630, 640, etc. could continue normally. If interlacing is required, another step 625 could interlace the image portion. The compression steps would then compress the interlaced drawing. Each line would be compressed in this manner, and all compressed lines, in order of interlacing, could be placed into the graphics file. In this manner, each higher priority portion of the image will be located closer to the beginning of the file, and each portion of the image will be interlaced and compressed. When such an image file is received, it is important that the browser or image viewer not write over the portions of the image already received.

The preferred embodiments of the present invention allow an image designer to select portions of an image and to prioritize these portions. The image can then be saved as a prioritized image file, which generally entails placing higher priority portions toward the beginning of the file. These image files can be stored in any number of graphics file formats. When a user on another computer accesses the image files, the image files will be transmitted, received, and displayed by the user's computer in order of prioritization. This allows higher-speed access to the important part of graphics files.

While the invention has been particularly shown and described with reference to preferred exemplary embodiments thereof, it will be understood by those skilled in the art that various changes in form and details may be made therein without departing from the

CLAIMS

- 1 1. An apparatus comprising:
2 at least one processor;
3 a memory coupled to the at least one processor; and
4 an image file residing in the memory, the image file defining higher priority
5 portions and lower priority portions such that when the image file is transferred,
6 the higher priority portions of the image file are transmitted before the lower
7 priority portions of the image file.
- 1 2. The apparatus of claim 1 further comprising a receiving computer receiving
2 portions of the image file, the receiving computer comprising an image interpreter
3 and an image viewer residing on the receiving computer, the image interpreter
4 translating the received portions of the image file into image data, such that the
5 image viewer can display the higher priority portions of the image file before
6 displaying the lower priority portions of the image file.
- 1 3. The apparatus of claim 1 further comprising an image prioritization editor
2 residing in the memory, the image prioritization editor allowing at least one
3 portion of an image to be selected and assigned at least one priority.
- 1 4. The apparatus of claim 1 further comprising an image interpreter, the image
2 interpreter saving the image in a graphics file format.

1 5. The apparatus of claim 4 wherein the graphics file format is joint picture experts
2 group format, graphics interchange format, or bitmap format.

1 6. The apparatus of claim 4 wherein the graphics file format comprises a plurality of
2 portions of the image, each portion corresponding to the at least one priority.

1 7. The apparatus of claim 1 wherein the apparatus further comprises a simulation
2 browser residing in the memory, the simulation browser simulating transmission
3 and reception of the image file, the simulation browser adding a delay between
4 portions of the image file.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207

- 1 8. An apparatus comprising:
- 2 a transmitting computer comprising:
- 3 a) at least one processor;
- 4 b) a memory coupled to the at least one processor;
- 5 c) an image file residing in the memory, the image file defining
- 6 higher priority portions and lower priority portions such that, when
- 7 the image file is transmitted, the higher priority portions of the
- 8 image can be transmitted before the lower priority portions of the
- 9 image; and
- 10 a receiving computer receiving the image file as received data from the
- 11 transmitting computer, the receiving computer including:
- 12 a) at least one processor;
- 13 b) a memory coupled to the at least one processor;
- 14 c) an image viewer residing in the memory;
- 15 d) an image interpreter residing in the memory and cooperating with
- 16 the image viewer to allow the image viewer to display received
- 17 images, the image viewer translating the received data into image
- 18 data to allow the image viewer to display the image data
- 19 corresponding to the higher priority portions of the image file
- 20 before displaying the image data corresponding to the lower
- 21 priority portions of the image file.

- 1 9. The apparatus of claim 8 wherein the transmitting computer further comprises an
2 image prioritization editor residing in the memory, the image prioritization editor
3 allowing at least one portion of an image to be selected and assigned at least one
4 priority.

- 1 10. The apparatus of claim 9 wherein the transmitting computer further comprises an
2 image interpreter, the image interpreter saving the image in a graphics file format.

- 1 11. The apparatus of claim 10 wherein the graphics file format is joint picture experts
2 group format, graphics interchange format, or bitmap format.

- 1 12. The apparatus of claim 10 wherein the graphics file format comprises a plurality
2 of portions of the image, each portion corresponding to the at least one priority.

- 1 13. The apparatus of claim 8 wherein the transmitting computer further comprises a
2 simulation browser residing in the memory, the simulation browser simulating
3 transmission and reception of the image file, the simulation browser adding a
4 delay between portions of the image file.

- 1 14. A program product comprising:
- 2 an image interpreter for creating a transmission image file, the transmission image
- 3 file defining higher priority portions and lower priority portions such that when
- 4 the transmission image file is transferred, the higher priority portions of the
- 5 transmission image file are transmitted before the lower priority portions of the
- 6 transmission image file; and
- 7 signal bearing media bearing the image interpreter.
- 1 15. The program product of claim 14 wherein the signal bearing media comprises
- 2 transmission media.
- 1 16. The program product of claim 14 wherein the signal bearing media comprises
- 2 recordable media.
- 1 17. The program product of claim 14 wherein the image interpreter can translate
- 2 received portions of a reception image file into image data, such that an image
- 3 viewer can display the higher priority portions of the reception image file before
- 4 displaying the lower priority portions of the reception image file.
- 1 18. The program product of claim 14 further comprising an image prioritization
- 2 editor, the image prioritization editor allowing at least one portion of an image to
- 3 be selected and assigned at least one priority.

- 1 19. The program product of claim 18 wherein the image interpreter can save the
2 image in a graphics file format.
- 1 20. The program product of claim 19 wherein the graphics file format is joint picture
2 experts group format, graphics interchange format, or bitmap format.
- 1 21. The program product of claim 19 wherein the graphics file format comprises a
2 plurality of portions of the image, each portion corresponding to the at least one
3 priority.
- 1 22. The program product of claim 14 wherein the program product further comprises
2 a simulation browser for simulating transmission and reception of the
3 transmission image file, the simulation browser adding a delay between portions
4 of the transmission image file.

1 23. A program product comprising:
2 an image interpreter for creating a transmission image file, the transmission image
3 file defining higher priority portions and lower priority portions such that when
4 the transmission image file is transferred, the higher priority portions of the
5 transmission image file are transmitted before the lower priority portions of the
6 transmission image file, the image interpreter also for translating received portions
7 of a reception image file into image data, such that an image viewer can display
8 the higher priority portions of the reception image file before displaying the lower
9 priority portions of the reception file; and
10 signal bearing media bearing the image interpreter.

1 24. The program product of claim 23 wherein the signal bearing media comprises
2 transmission media.

1 25. The program product of claim 23 wherein the signal bearing media comprises
2 recordable media.

1 26. The program product of claim 23 further comprising an image prioritization editor
2 for allowing at least one portion of an image to be selected and assigned at least
3 one priority.

1 27. The program product of claim 26 wherein image interpreter can save the image in
2 a graphics file format.

1 31. A method for transmitting an image from a computer, the method comprising the
2 steps of:
3 a) selecting at least one portion of the image;
4 b) assigning a priority to the selected at least one portion to create a
5 prioritized image; and
6 c) transmitting the prioritized image such that the higher priority portions are
7 transmitted before the lower priority portions.

1 32. The method of claim 31 further comprising the step of saving the prioritized
2 image in an image file, the image file comprising a graphics file format.

1 33. The method of claim 32 wherein the graphics file format is joint picture experts
2 group format, graphics interchange format, or bitmap format.

1 34. The method of claim 32 wherein the graphics file format comprises a plurality of
2 portions of the image, each portion corresponding to the at least one priority.

- 1 35. A method for transmitting an image from a transmitting computer and receiving
2 the image on a receiving computer, the method comprising the steps of:
- 3 a) performing the following steps on the transmitting computer:
- 4 i) selecting at least one portion of an image;
- 5 ii) assigning a priority to the selected at least one portion to create a
6 prioritized image; and
- 7 iii) transmitting the prioritized image such that the higher priority
8 portions are transmitted before the lower priority portions;
- 9 b) performing the following steps on the receiving computer:
- 10 i) receiving a portion of the image file;
- 11 ii) translating the portion of the image file into image data;
- 12 iii) determining the location of the portion of the image file; and
- 13 iv) transferring the image data and the location to an image viewer
14 such that the image viewer can display the portion of the image file
15 at the location.

1 36. The method of claim 35 wherein the step of transmitting the prioritized image
2 such that the higher priority portions are transmitted before the lower priority
3 portions further comprises the following steps:

4 A) simulating transmission and reception of a portion of the
5 image;

6 B) translating the portion of the image file into image data;

7 C) determining the location of the portion of the image file;

8 D) transferring the image data and the location to an image
9 viewer such that the image viewer can display the portion
10 of the image file at the location

11 E) waiting a delay; and

12 F) repeating steps A through E until the entire image has been
13 transmitted and received.

1 37. The method of claim 35 wherein the step of translating the portion of the image
2 file into image data further comprises the step of decompressing the portion of the
3 image file.

1 38. The method of claim 35 further comprising the following step that is performed
2 on the transmitting computer:

3 iv) saving the prioritized image in an image file, the image file
4 comprising a graphics file format.

1 39. The method of claim 38 wherein the graphics file format is joint picture experts
2 group format, graphics interchange format, or bitmap format.

1 40. The method of claim 38 wherein the graphics file format comprises a plurality of
2 portions of the image, each portion corresponding to the at least one priority.

(The following text is extremely faint and largely illegible due to low contrast and scan quality. It appears to be a list or index of names and dates.)

METHOD AND APPARATUS FOR PRIORITY TRANSMISSION AND DISPLAY OF KEY AREAS OF IMAGE DATA

ABSTRACT OF THE DISCLOSURE

A method and an apparatus for selecting, prioritizing, saving, and receiving image data are disclosed. Portions of an image can be selected and the selected portions assigned priorities using preferred embodiments of the present invention. The prioritized image portions can then be saved in a prioritized graphics file. The image can be saved in any graphics file format. When a user accesses the prioritized graphics file, the highest priority portions of the image will be sent to and received by the user first. These highest priority portions will then be displayed to the user. Lower priority portions will subsequently be sent and received until the entire image is displayed to the user. This allows the areas of higher priority to be seen by the user before the user sees areas of lower priority.




FIG. 1







FIG. 2




FIG. 3




FIG. 4

500




FIG. 5




FIG. 6

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name. I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention METHOD AND APPARATUS FOR PRIORITY TRANSMISSION AND DISPLAY OF KEY AREAS OF IMAGE DATA entitled, the specification of which is attached hereto unless the following box is checked:

☐ was filed on _____ as United States Application Serial No. or PCT International Application No. _____ and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above- identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability as defined in 37 CFR §1.56.

I hereby claim foreign priority benefits under 35 U.S.C. §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):			
Number	Country	Day/Month/Year	Priority Claimed
_____	_____	_____	Yes <input type="checkbox"/> No <input type="checkbox"/>
_____	_____	_____	Yes <input type="checkbox"/> No <input type="checkbox"/>

I hereby claim the benefit under 35 U.S.C. §119(e) of any United States provisional application(s) listed below.

Application Number	Filing Date
_____	_____
_____	_____

I hereby claim the benefit under 35 U.S.C. §120 of any United States application(s), or §365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the

prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. §112, I acknowledge the duty to disclose information material to patentability of this application as defined in 37 CFR §1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

Prior U.S. Applications:

Serial No.	Filing Date	Status (patented, pending, abandoned)
_____	_____	_____
_____	_____	_____

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

Matthew J. Bussan Reg. No. 33,614	Pryor A. Garnett Reg. No. 32,136	Owen J. Gamon Reg. No. 36,143	Karuna Ojanen Reg. No. 32,484
Steven W. Roth Reg. No. 34,712	Roy W. Truelson Reg. No. 34,265	John E. Hoel Reg. No. 26,279	Christopher A. Hughes Reg. No. 26,914
Edward A. Pennington Reg. No. 32,588	Joseph C. Redmond, Jr. Reg. No. 18,753	Albert L. Schmeiser Reg. No. 30,681	Arlen L. Olsen Reg. No. 37,543
Charles T. Watts Reg. No. 16,564	S. Jared Pitts Reg. No. 38,579	Diane E. Smith Reg. No. 40,180	Michael F. Hoffman Reg. No. 40,019
Robert J. Mauri Reg. No. 41,180	John A. Merecki Reg. No. 35,812	Spencer K. Warnick Reg. No. 40,398	

Address all telephone calls to: S. Jared Pitts
(602) 655-0073

Address all correspondence to: S. Jared Pitts
Schmeiser, Olsen & Watts
20 West First Street
Mesa, Arizona 85201

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United

States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

(1) Inventor: **Mark J. Beach**

Signature: Mark J. Beach Date 10-27-98

Residence: 130 South Main Street
Elba, MN 55910

County: Winona

Citizenship: USA

Post Office
Address: Same as Residence